Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
I. Herskowitz
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
J. H. Miller
M. F. Moody
K. Simons

VOLUME 167

15 June to 15 July 1983

ACADEMIC PRESS
London New York San Francisco

Copyright © 1983, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 167

NUMBER 1, 15 JUNE 1983

OOF, P., BOS., J. L., KONINGS, AD. F. J. M., MENKE, H. H., BORST, P., GUTTERIDGE, W. E. and LEON, W., Characterization of Satellite DNA in *Trypanosoma brucei* and *Trypanosoma cruzi* 1

ASTERS, J. N., YANG, J. K., CELLINI, A. and ATTARDI, G., A Human Dihydrofolate Reductase Pseudogene and its Relationship to the Multiple Forms of Specific Messenger RNA 23

OGT, P. and HENNIG, W., Y Chromosomal DNA of *Drosophila hydei* . . 37

U, A. Y. C., VAN DER PLOEG, L. H. T., RIJSEWIJK, F. A. M. and BORST, P., The Transposition Unit of Variant Surface Glycoprotein Gene 118 of *Trypanosoma brucei*. Presence of Repeated Elements at its Border and Absence of Promoter-associated Sequences 57

INTY, A. J., ALONSO, S., GUÉNET, J.-L., and BUCKINGHAM, M. E., Number and Organization of Actin-related Sequences in the Mouse Genome . 77

OSE, S. J., III., LOWARY, P. T. and UHLENBECK, O. C., Binding of Yeast $tRNA^{Phe}$ Anticodon Arm to *Escherichia coli* 30 S Ribosomes 103

EVAUX, C., TIMMINS, P. A. and BERTHET-COLOMINAS, C., Structural Studies of Adenovirus Type 2 by Neutron and X-ray Scattering . . 119

AVIS, A. H., REUDELHUBER, T. L. and GARRARD, W. T., Variegated Chromatin Structures of Mouse Ribosomal RNA Genes 133

TA, I., CAMPOS, J. L., PUIGJANER, L. C. and SUBIRANA, J. A., X-ray Diffraction Study of DNA Complexes with Arginine Peptides and Their Relation to Nucleoprotamine Structure 157

ANDELKOW, E., MANDELKOW, E.-M. and BORDAS, J., Structure of Tubulin Rings Studied by X-ray Scattering using Synchrotron Radiation . . 179

LETTERS TO THE EDITOR

BRODSKY, F. M. and PARHAM, P., Polymorphism in Clathrin Light Chains from Different Tissues 197

LABUDA, D. and PÖRSCHKE, D., Codon-induced Transfer RNA Association. A Property of Transfer RNA Involved in its Adaptor Function? 205

SNOUNOU, G. and MALCOLM, A. D. B., Production of Positively Supercoiled DNA by Netropsin 211

YEH-KAI, L., AKUSJÄRVI, G., ALESTRÖM, P., PETTERSSON, U., TREMBLAY, M. and WEBER, J., Genetic Identification of an Endoproteinase Encoded by the Adenovirus Genome . . . 21

MUÑOZ-GUERRA, S., PUIGGALÍ, J., RODRIGUEZ, A. and SUBIRANA, J. A., Crystals of Polyglycine in the β Form 22

NUMBER 2, 25 JUNE 1983

PLUMBRIDGE, J. A. and SPRINGER, M., Organization of the *Escherichia coli* Chromosome Around the Genes for Translation Initiation Factor IF2 (*infB*) and a Transcription Termination Factor (*nusA*) 227

MONSTEIN, H.-J., HAMMARSTRÖM, K., WESTIN, G., ZABIELSKI, J., PHILIPSON, L. AND PETTERSSON, U., Loci for Human U1 RNA: Structural and Evolutionary Implications 245

BUSBY, S., KOTLARZ, D. and BUC, H., Deletion Mutagenesis of the *Escherichia coli* Galactose Operon Promoter Region 259

GLENNEY, J. R. JR, GLENNEY, P. and WEBER, K., Mapping the Fodrin Molecule with Monoclonal Antibodies. A General Approach for Rod-like Multidomain Proteins 275

SODERGREN, E. and KAISER, D., Insertions of Tn*5* Near Genes that Govern Stimulatable Cell Motility in *Myxococcus* 295

FUNNELL, B. E. and INMAN, R. B., Bacteriophage P2 DNA Replication. Characterization of the Requirement of the Gene *B* Protein *in vivo* . 311

FLINT, S. J., BELTZ, G. A. and LINZER, D. I. H., Synthesis and Processing of Simian Virus 40-specific RNA in Adenovirus-infected, Simian Virus 40-transformed Human Cells 335

POSAKONY, J. W., FLYTZANIS, C. N., BRITTEN, R. J. and DAVIDSON, E. H., Interspersed Sequence Organization and Developmental Representation of Cloned Poly(A) RNAs from Sea Urchin Eggs 361

PERLMAN, D. and HALVORSON, H. O., A Putative Signal Peptidase Recognition Site and Sequence in Eukaryotic and Prokaryotic Signal Peptides 391

PAULSEN, H., ROBERTSON, J. M. and WINTERMEYER, W., Topological Arrangement of Two Transfer RNAs on the Ribosome. Fluorescence Energy Transfer Measurements Between A and P Site-bound $tRNA^{Phe}$. 411

HARSHEY, R. M. and BUKHARI, A. I., Infecting Bacteriophage Mu DNA Forms a Circular DNA–Protein Complex 427

THORNTON, J. M. and SIBANDA, B. L., Amino and Carboxy-terminal Regions in Globular Proteins 443

METSCHEK, TH., JELINEK, K., KNÖRZER, E., MOSLER, E., NEMETSCHEK-GANSLER, H., RIEDL, H. and SCHILLING, V., Transformation of the Structure of Collagen. A Time-resolved Analysis of Mechanochemical Processes using Synchrotron Radiation 461

TTERIDGE, D. R. and LEHRER, S. S., Two Conformational States of Didansylcystine-labeled Rabbit Cardiac Tropomyosin 481

ASER, R. D. B., MACRAE, T. P., MILLER, A. and SUZUKI, E., Molecular Conformation and Packing in Collagen Fibrils 497

NUMBER 3, 5 JULY 1983

CLEOD, A. R. and TALBOT, K., A Processed Gene Defining a Gene Family Encoding a Human Non-muscle Tropomyosin 523

HERTY, M. J., MORRISON, P. T. and KOLODNER, R., Genetic Recombination of Bacterial Plasmid DNA. Physical and Genetic Analysis of the Products of Plasmid Recombination in *Escherichia coli*. 539

NDOMENI, R., BUNICK, D., ACKERMAN, S., MITTELMAN, B. and WEINMANN, R., Mechanism of Action of DRB. III. Effect on Specific *in Vitro* Initiation of Transcription 561

LBANTOGLU, J., GONCALVES, O. and MEUTH, M., Structure of Mutant Alleles at the *aprt* Locus of Chinese Hamster Ovary Cells . . . 575

RING, R. B., SCAZZOCCHIO, C., BROWN, T. A. and DAVIES, R. W., Close Relationship Between Certain Nuclear and Mitochondrial Introns. Implications for the Mechanism of RNA Splicing 595

SS, J. and PIZARRO, A., Human Beta and Delta Globin Messenger RNAs Turn Over at Different Rates. 607

OMA, F., LOSA, R. and KOLLER, T., Involvement of the Domains of Histones H1 and H5 in the Structural Organization of Soluble Chromatin 619

ITH, P. R., FOWLER, W. E., POLLARD, T. D. and AEBI, U., Structure of the Actin Molecule Determined from Electron Micrographs of Crystalline Actin Sheets with a Tentative Alignment of the Molecule in the Actin Filament. 641

REY, W. JR, WANG, B. C., YOO, C. S. and SAX, M., Structure of a Novel Bence–Jones Protein (Rhe) Fragment at 1·6 Å Resolution . . . 661

AKE, C. C. F., PULFORD, W. C. A. and ARTYMIUK, P. J., X-ray Studies of Water in Crystals of Lysozyme 693

Wierenga, R. K., Drenth, J. and Schulz, G. E., Comparison of the Three-dimensional Protein and Nucleotide Structure of the FAD-binding Domain of *p*-Hydroxybenzoate Hydroxylase with the FAD—as well as NADPH-binding Domains of Glutathione Reductase 72

Letters to the Editor

Imai, K., The Monod–Wyman–Changeux Allosteric Model Describes Haemoglobin Oxygenation with only one Adjustable Parameter . 74

Van der Ende, A., Teertstra, R. and Weisbeek, P. J., n′ Protein Activator Sites of Plasmid pBR322 are not Essential for its DNA Replication 75

Number 4, 15 July 1983

Maruyama, M., Horiuchi, T., Maki, H. and Sekiguchi, M., A Dominant (*mutD5*) and a Recessive (*dnaQ49*) Mutator of *Escherichia coli* . . 75

Christie, G. E. and Calendar, R., Bacteriophage P2 Late Promoters. Transcription Initiation Sites for Two Late mRNAs 77

Little, J. W., The SOS Regulatory System: Control of its State by the Level of RecA Protease 79

Hearing, P. and Shenk, T., Functional Analysis of the Nucleotide Sequence Surrounding the Cap Site for Adenovirus Type 5 Region E1A Messenger RNAs 80

Deatherage, J. F., Taylor, K. A. and Amos, L. A., Three-dimensional Arrangement of the Cell Wall Protein of *Sulfolobus acidocaldarius*. . 82

Appendix: Agard, D. A., A Least-squares Method for Determining Structure Factors in Three-dimensional Tilted-view Reconstructions 84

Castellani, L., Vibert, P. and Cohen, C., Structure of Myosin/Paramyosin Filaments from a Molluscan Smooth Muscle 85

Fukuyama, K., Abdel-Meguid, S. S., Johnson, J. E. and Rossmann, M. G., Structure of a $T = 1$ Aggregate of Alfalfa Mosaic Virus Coat Protein seen at 4·5 Å Resolution 87

Appendix: Hermodson, M. A., Sites of Heavy Atom Substitution in Alfalfa Mosaic Virus Crystals 89

Letters to the Editor

Takahashi, M., Blazy, B., Baudras, A. and Hillen, W., On the Origin of Selectivity in Recognition by Cyclic adenosine 3′,5′-monophosphate Receptor Protein of its Specific Binding Site of the Lactose Promoter Region 89

COHEN, S. P., RESNICK, J. and SUSSMAN, R., Interaction of Single-strand Binding Protein and RecA Protein at the Single-stranded DNA Site 901

WALTER, J. and HUBER, R., Pancreatic Trypsin Inhibitor. A New Crystal Form and its Analysis. 911

ERATUM 919

Index to Volume 167

Abdel-Meguid, S. S. (see also Fukuyama, K.), 873
Ackerman, S. (see also Zandomeni, R.), 561
Actin molecular structure determined from electron micrographs of crystalline actin sheets with a tentative alignment of the molecule in the actin filament, 641
—-related sequences in the mouse genome, number and organization, 77
Adenovirus genome-encoded endoproteinase, genetic identification, 217
—-infected SV40-transformed human cells, and the synthesis and processing of SV40-specific RNA, 335
— type 2 structural studies by neutron and X-ray scattering, 119
— — 5 region E1A mRNAs, functional analysis of the nucleotide sequence surrounding the cap site, 809
Aebi, U. (see also Smith, P. R.), 641
Agard, D. A., A least-squares method for determining structure factors in three-dimensional tilted-view reconstructions (*Appendix* to Deatherage, J. F. *et al.*, 823), 849
Akusjärvi, G. (see also Yeh-Kai, L.), 217
Aleström, P. (see also Yeh-Kai, L.), 217
Alfalfa mosaic virus (see also Virus), 873, 891
Alonso, S. (see also Minty, A. J.), 77
Amino and carboxy-terminal regions in globular proteins, 443
Amos, L. A. (see also Deatherage, J. F.), 823
Antibody mapping of the fodrin molecule. A general approach for rod-like multidomain proteins, 275
Anticodon arm, yeast $tRNA^{Phe}$, binding to *Escherichia coli* 30 S ribosomes, 103
aprt locus of Chinese hamster ovary cells, structure of mutant alleles, 575
Arginine peptide complexes with DNA and their relation to nucleoprotamine structure, an X-ray diffraction study, 157
Artymiuk, P. J. (see also Blake, C. C. F.), 693
Attardi, G. (see also Masters, J. N.), 23

Bacterial plasmid DNA, genetic recombination. Physical and genetic analysis of the products of plasmid recombination in *Escherichia coli*, 539
Bacteriophage Mu DNA forms a circular DNA–protein complex, 427
— P2 DNA replication. Characterization of the requirement of the gene *B* protein *in vivo*, 311
— P2 late promoters. Transcription initiation sites for two late mRNAs, 773
Baudras, A. (see also Takahashi, M.), 895
Beltz, G. A. (see also Flint, S. J.), 335
Bence-Jones protein (Rhe) fragment, structure at 1·6 Å resolution, 661
Berthet-Colominas, C. (see also Devaux, C.), 119
β crystals of polyglycine, 223
Betteridge, D. R. & Lehrer, S. S., Two conformational states of didansylcystine-labeled rabbit cardiac tropomyosin, 481
Binding of yeast $tRNA^{Phe}$ anticodon arm to *Escherichia coli* 30 S ribosomes, 103
Blake, C. C. F., Pulford, W. C. A. & Artymiuk, P. J., X-ray studies of water in crystals of lysozyme, 693
Blazy, B. (see also Takahashi, M.), 895
Bordas, J. (see also Mandelkow, E.), 179
Borst, P. (see also Liu, A. Y. C.), 57
— (see also Sloof, P.), 1
Bos, J. L. (see also Sloof, P.), 1
Britten, R. J. (see also Posakony, J. W.), 361
Brodsky, F. M. & Parham, P., Polymorphism in clathrin light chains from different tissues, 197
Brown, T. A. (see also Waring, R. B.), 595
Buc, H. (see also Busby, S.), 259
Buckingham, M. E. (see also Minty, A. J.), 77

UKHARI, A. I. (see also HARSHEY, R. M.), 427
UNICK, D. (see also ZANDOMENI, R.), 561
USBY, S., KOTLARZ, D. & BUC, H., Deletion mutagenesis of the *Escherichia coli* galactose operon promoter region, 259

ALENDAR, R. (see also CHRISTIE, G. E.), 773
AMPOS, J. L. (see also FITA, L.), 157
ap site for adenovirus type 5 region E1A mRNAs, functional analysis of the surrounding nucleotide sequence, 809
arboxy-terminal regions in globular proteins, 443
ardiac tropomyosin, rabbit, didansylcystine-labeled; two conformational states, 481
ASTELLANI, L., VIBERT, P. & COHEN, C., Structure of myosin/paramyosin filaments from a molluscan smooth muscle, 853
ell wall protein of *Sulfolobus acidocaldarius*, three-dimensional arrangement, 823
ELLINI, A. (see also MASTERS, J. N.), 23
inese hamster ovary cells, structure of mutant alleles at the *aprt* locus, 575
HRISTIE, G. E. & CALENDAR, R., Bacteriophage P2 late promoters. Transcription initiation sites for two late mRNAs, 773
romatin, soluble, structural organization, and the involvement of the domains of histones H1 and H5, 619
- structures, variegated, of mouse ribosomal RNA genes, 133
romosomal DNA, Y, of *Drosophila hydei*, 37
romosome of *Escherichia coli*, organization around the genes for translation initiation factor IF2 (*infB*) and a transcription termination factor (*nusA*), 227
reular DNA–protein complex is formed by infecting bacteriophage Mu DNA, 427
athrin light chain polymorphism for different tissues, 197
oned poly(A) RNAs from sea urchin eggs, interspersed sequence organization and developmental representation, 361
oat protein, alfalfa mosaic virus, structure of a $T = 1$ aggregate seen at 4·5 Å resolution, 873
odon-induced transfer RNA association. A property of transfer RNA involved in its adaptor function?, 205
OHEN, C. (see also CASTELLANI, L.), 853
OHEN, S. P., RESNICK, J. & SUSSMAN, R., Interaction of single-strand binding protein and RecA protein at the single-stranded DNA site, 901
llagen fibrils, molecular conformation and packing, 497
- structure transformation. A time-resolved analysis of mechanochemical processes using synchrotron radiation, 461
nformation and packing in collagen fibrils, 497
nformational states, two, of didansylcystine-labeled rabbit cardiac tropomysin, 481
ystals of lysozyme, X-ray studies of water, 693
— polyglycine in the β form, 223
yclic adenosine 3′,5′-monophosphate receptor protein recognition of its specific binding site of the lactose promoter region; on the origin of selectivity, 895

AVIDSON, E. H. (see also POSAKONY, J. W.), 361
AVIES, R. W. (see also WARING, R. B.), 595
AVIS, A. H., REUDELHUBER, T. L. & GARRARD, W. T., Variegated chromatin structures of mouse ribosomal RNA genes, 133
EATHERAGE, J. F., TAYLOR, K. A. & AMOS, L. A., Three-dimensional arrangement of the cell wall protein of *Sulfolobus acidocaldarius*, 823
eletion mutagenesis of the *Escherichia coli* galactose operon promoter region, 259
NA, bacteriophage Mu, forms a circular DNA–protein complex, 427
- complexes with arginine peptides and their relation to nucleoprotamine structure, an X-ray diffraction study, 157
- replication, bacteriophage P2; characterization of the requirement of the gene *B* protein *in vivo*, 311
— does not require n′ protein activator sites of plasmid pBR322, 751
, plasmid, bacterial, genetic recombination. Physical and genetic analysis of the products of plasmid recombination in *Escherichia coli*, 539
, positively supercoiled, production by netropsin, 211
, satellite, characterization in *Trypanosoma brucei* and *T. cruzi*, 1
, Y chromosomal, of *Drosophila hydei*, 37

——protein complex, circular, is formed by infecting bacteriophage Mu DNA, 427
Devaux, C., Timmins, P. A. & Berthet-Colominas, C., Structural studies of adenovirus type 2 by neutron and X-ray scattering, 119
Didansylcystine-labeled rabbit cardiac tropomyosin, two conformational states, 481
Dihydrofolate reductase pseudogene, human, and its relationship to the multiple form of specific mRNA, 23
Doherty, M. J., Morrison, P. T. & Kolodner, R., Genetic recombination of bacterial plasmid DNA. Physical and genetic analysis of the products of plasmid recombination in *Escherichia coli*, 539
Dominant (*mutD5*) and a recessive (*dnaQ49*) mutator of *Escherichia coli*, 757
DRB mechanism of action. Effect of specific *in vitro* initiation of transcription, 561
Drenth, J. (see also Wierenga, R. K.), 725
Drosophila hydei Y chromosomal DNA, 37

E1A mRNAs, adenovirus type 5, functional analysis of the nucleotide sequence surrounding the cap site, 809
Electron micrographs, use in determination of the structure of the actin molecule, 641
Endoproteinase encoded by the adenovirus genome, genetic identification, 217
Escherichia coli chromosome, organization around the genes for translation initiation factor IF2 (*infB*) and a transcription termination factor (*nusA*), 227
—— —, deletion mutagenesis of the galactose operon promoter region, 259
—— — mutators, dominant (*mutD5*) and recessive (*dnaQ49*), 757
—— —, physical and genetic analysis of the products of plasmid recombination, 539
—— — 30 S ribosomes, binding of yeast $tRNA^{Phe}$ anticodon arm, 103
Evolutionary and structural implications of loci for human U1 RNA, 245

FAD-binding domain of *p*-hydroxybenzoate hydroxylase, comparison of the three-dimensional protein and nucleotide structure with that of the FAD- as well as NADPH-binding domains of glutathione reductase, 725
Fibrils, collagen, molecular conformation and packing, 497
Fita, L., Campos, J. L., Puigjaner, L. C. & Subirana, J. A., X-ray diffraction study of DNA complexes with arginine peptides and their relation to nucleoprotamine structure, 157
Flint, S. J., Beltz, G. A. & Linzer, D. I. H., Synthesis and processing of simian virus 40-specific RNA in adenovirus-infected, simian virus 40-transformed human cells, 335
Fluorescence energy transfer measurements between A and P site-bound $tRNA^{Phe}$. Topological arrangement of two transfer RNAs on the ribosome, 411
Flytzanis, C. N. (see also Posakony, J. W.), 361
Fodrin molecule mapping with monoclonal antibodies. A general approach for rod-like multidomain proteins, 275
Fowler, W. E. (see also Smith, P. R.), 641
Fraser, R. D. B., Macrae, T. P., Miller, A. & Suzuki, E., Molecular conformation and packing in collagen fibrils, 497
Fukuyama, K., Abdel-Meguid, S. S., Johnsoon, J. E. & Rossmann, M. G., Structure of a $T = 1$ aggregate of alfalfa mosaic virus coat protein seen at 4·5 Å resolution, 873
Funnell, B. E. & Inman, R. B., Bacteriophage P2 DNA replication. Characterization of the requirement of the gene *B* protein *in vivo*, 311
Furey, W. Jr, Wang, B. C., Yoo, C. S. & Sax, M., Structure of a novel Bence-Jones protein (Rhe) fragment at 1·6 Å resolution, 661

Galactose operon promoter region of *Escherichia coli*, deletion mutagenesis, 259
Garrard, W. T. (see also Davis, A. H.), 133
Gene *B* protein, and bacteriophage P2 DNA replication, 311
—, processed, defining a gene family encoding a human non-muscle tropomyosin, 523
—, variant surface glycoprotein 118, of *Trypanosoma brucei*, the transposition unit; presence of repeated elements at its border and absence of promoter-associated sequences, 57
Genetic identification of an endoproteinase encoded by the adenovirus genome, 217
— recombination of bacterial plasmid DNA. Physical and genetic analysis of the products of plasmid recombination in *Escherichia coli*, 539
Genes for translation initiation factor IF2 (*infB*) and a transcription termination factor (*nusA*), and the organization of the *Escherichia coli* chromosome, 227
—, RNA, ribosomal, mouse, variegated chromatin structures, 133
— that govern stimulatable cell motility in *Myxococcus*, and near insertions of Tn*5*, 295

Genome, mouse, number and organization of actin-related sequences, 77
Glenney, J. R. Jr, Glenney, P. & Weber, K., Mapping the fodrin molecule with monoclonal antibodies. A general approach for rod-like multidomain proteins, 275
Glenney, P. (see also Glenney, J. R. Jr), 275
Globin mRNAs, beta and delta, human, turn over at different rates, 607
Globular proteins, amino and carboxy-terminal regions, 443
Glutathione reductase FAD- and NADPH-binding domains, comparison of the three-dimensional protein and nucleotide structure with that of the FAD-binding domain of *p*-hydroxybenzoate hydroxylase, 725
Goncalves, O. (see also Nalbantoglu, J.), 575
Guénet, J.-L. (see also Minty, A. J.), 77
Gutteridge, W. E. (see also Sloof, P.), 1

Haemoglobin oxygenation is described by the Monod-Wyman-Changeux allosteric model with only one adjustable parameter, 741
Halvorson, H. D. (see also Perlman, D.), 391
Hammarström, K. (see also Monstein, H.-J.), 245
Harshey, R. M. & Bukhari, A. I., Infecting bacteriophage Mu DNA forms a circular DNA–protein complex, 427
Hearing, P. & Shenk, T., Functional analysis of the nucleotide sequence surrounding the cap site for adenovirus type 5 region E1A messenger RNAs, 809
Heavy atom substitution sites in alfalfa mosaic virus crystals, 891
Hennig, W. (see also Vogt, P.), 37
Hermodson, M. A., Sites of heavy atom substitution in alfalfa mosaic virus crystals (*Appendix* to Fukuyama, K. *et al.*, 873), 891
Hillen, W. (see also Takahashi, M.), 895
Histones H1 and H5, involvement of their domains in the structural organization of soluble chromatin, 619
Horiuchi, T. (see also Maruyama, M.), 757
Huber, R. (see also Walter, J.), 911
Human beta and delta globin mRNAs turn over at different rates, 607
— cells, SV40-transformed, adenovirus-infected, and the synthesis and processing of SV40-specific RNA, 335
— dihydrofolate reductase pseudogene and its relationship to the multiple forms of specific mRNA, 23
— non-muscle tropomyosin encoded by a gene family defined by a processed gene, 523
— U1 RNA loci: structural and evolutionary implications, 245
p-Hydroxybenzoate hydroxylase FAD-binding domain, comparison of the three-dimensional protein and nucleotide structure with that of the FAD- as well as NADPH-binding domains of glutathione reductase, 725

Imai, K., The Monod-Wyman-Changeux allosteric model describes haemoglobin oxygenation with only one adjustable parameter, 741
infB and *nusA* genes, and the organization of the *Escherichia coli* chromosome, 227
Infecting bacteriophage Mu DNA forms a circular DNA–protein complex, 427
Inman, R. B. (see also Funnell, B. E.), 311
Interspersed sequence organization and developmental representation of cloned poly(A) RNAs from sea urchin eggs, 361
Introns, nuclear, close relationship to mitochondrial introns; implications for the mechanism of RNA splicing, 595

Jelinek, K. (see also Nemetschek, Th.), 461
Johnson, J.E. (see also Fukuyama, K.), 873

Kaiser, D. (see also Sodergren, E.), 295
Knörzer, E. (see also Nemetschek, Th.), 461
Koller, T. (see also Thoma, F.), 619
Kolodner, R. (see also Doherty, M. J.), 539
Konings, Ad. F. J. M. (see also Sloof, P.), 1
Kotlarz, D. (see also Busby, S.), 259

Labuda, D. & Pörschke, D., Codon-induced transfer RNA association. A property of transfer RNA involved in its adaptor function?, 205

Lactose promoter region, on the origin of selectivity in recognition by cyclic adenosine 3′,5′-monophosphate receptor protein of its specific binding site, 895
Late promoters, bacteriophage P2; transcription initiation sites for two late mRNAs, 773
Lehrer, S. S. (see also Betteridge, D. R.), 481
Leon, W. (see also Sloof, P.), 1
Light chains, clathrin, from different tissues; polymorphism, 197
Linzer, D. I. H. (see also Flint, S. J.), 335
Little, J. W., The SOS regulatory system: control of its state by the level of RecA protease, 791
Liu, A. Y. C., van der Ploeg, L. H. T., Rijsewijk, F. A. M. & Borst, P., The transposition unit of variant surface glycoprotein gene 118 of *Trypanosoma brucei*. Presence of repeated elements at its border and absence of promoter-associated sequences, 57
Lowary, P. T. (see also Rose, S. J., III), 103
Losa, R. (see also Thoma, F.), 619
Lysozyme, X-ray studies of water in crystals, 693

Macleod, A. R. & Talbot, K., A processed gene defining a gene family encoding a human non-muscle tropomyosin, 523
Macrae, T. P. (see also Fraser, R. D. B.), 497
Maki, H. (see also Maruyama, M.), 757
Malcolm, A. D. B. (see also Snounou, G.), 211
Mandelkow, E., Mandelkow, E.-M. & Bordas, J., Structure of tubulin rings studied by X-ray scattering using synchrotron radiation, 179
Mandelkow, E.-M. (see also Mandelkow, E.), 179
Mapping the fodrin molecule with monoclonal antibodies. A general approach for rod-like multidomain proteins, 275
Maruyama, M., Horiuchi, T., Maki, H. & Sekiguchi, M., A dominant (*mutD5*) and a recessive (*dnaQ49*) mutator of *Escherichia coli*, 757
Masters, J. N., Yang, J. K., Cellini, A. & Attardi, G., A human dihydrofolate reductase pseudogene and its relationship to the multiple forms of specific messenger RNA, 23
Mechanochemical transformation of the structure of collagen. A time-resolved analysis using synchrotron radiation, 461
Menke, H. H. (see also Sloof, P.), 1
Messenger RNA, specific, relationship of multiple forms to a human dihydrofolate reductase pseudogene, 23
— RNAs, globin, beta and delta, human, turn over at different rates, 607
— —, late, two, transcription initiation sites; bacteriophage P2 late promoters, 773
— —, region E1A, adenovirus type 5, functional analysis of the nucleotide sequence surrounding the cap site, 809
Meuth, M. (see also Nalbantoglu, J.), 575
Miller, A. (see also Fraser, R. D. B.), 497
Minty, A. J., Alonso, S., Guénet, J.-L., & Buckingham, M. E., Number and organization of actin-related sequences in the mouse genome, 77
Mitochondrial introns, close relationship to nuclear introns; implications for the mechanism of RNA splicing, 595
Mittelman, B. (see also Zandomeni, R.), 561
Molluscan smooth muscle, structure of myosin/paramyosin filaments, 853
Monod-Wyman-Changeux allosteric model describes haemoglobin oxygenation with only one adjustable parameter, 741
Monstein, H.-J., Hammarström, K., Westin, G., Zabielski, J., Philipson, L. & Pettersson, U., Loci for human U1 RNA: structural and evolutionary implications, 245
Morrison, P. T. (see also Doherty, M. J.), 539
Mosler, E. (see also Nemetschek, Th.), 461
Motility, cell, stimulatable, in *Myxococcus*, and insertions of Tn*5* near governing genes, 295
Mouse genome, number and organization of actin-related sequences, 77
— ribosomal RNA genes, variegated chromatin structures, 133
Mu (see also Bacteriophage), 427
Muñoz-Guerra, S., Puiggalí, J., Rodriguez, A. & Subirana, J. A., Crystals of polyglycine in the β form, 223
Muscle, smooth, molluscan, structure of myosin/paramyosin filaments, 853
Mutagenesis, deletion, of the *Escherichia coli* galactose operon promoter region, 259
Mutant allele structure at the *aprt* locus of Chinese hamster ovary cells, 575

Mutators, dominant (*mutD5*) and recessive (*dnaQ49*), of *Escherichia coli*, 757
Myosin/paramyosin filaments from a molluscan smooth muscle, structure determination, 853
Myxococcus, insertions of Tn*5* near genes that govern stimulatable cell motility, 295

n′ protein activator sites of plasmid pBR322 are not essential for its DNA replication, 751
NADPH- and FAD-binding domains of glutathione reductase, comparison of the three-dimensional protein and nucleotide structure with that of the FAD-binding domain of *p*-hydroxybenzoate hydroxylase, 725
Nalbantoglu, J., Goncalves, O. & Meuth, M., Structure of mutant alleles at the *aprt* locus of Chinese hamster ovary cells, 575
Nemetschek, Th., Jelinek, K., Knörzer, E., Mosler, E., Nemetschek-Gansler, H., Riedl, H. & Schilling, V., Transformation of the structure of collagen. A time-resolved analysis of mechanochemical processes using synchrotron radiation, 461
Nemetschek-Gansler, H. (see also Nemetschek, Th.), 461
Netropsin and the production of positively supercoiled DNA, 211
Neutron and X-ray scattering studies of adenovirus type 2 structure, 119
Nuclear introns, close relationship to mitochondrial introns; implications for the mechanism of RNA splicing, 595
Nucleoprotamine structure, relation to DNA complexes with arginine peptides; X-ray diffraction study, 157
Nucleotide and protein three-dimensional structure: comparison of the FAD-binding domain of *p*-hydroxybenzoate hydroxylase with the FAD- as well as NADPH-binding domains of glutathione reductase, 725
nusA and *infB* genes, and the organization of the *Escherichia coli* chromosome, 227

Organization of the *Escherichia coli* chromosome around the genes for translation initiation factor IF2 (*infB*) and a transcription termination factor (*nusA*), 227
– and number of actin-related sequences in the mouse genome, 77
Oxygenation of haemoglobin is described by the Monod-Wyman-Changeux allosteric model with only one adjustable parameter, 741
Ovary cells, Chinese hamster, structure of mutant alleles at the *aprt* locus, 575

P2 (see also Bacteriophage), 311, 773
Packing and molecular conformation in collagen fibrils, 497
Pancreatic trypsin inhibitor. A new crystal form and its analysis, 911
Parham, P. (see also Brodsky, F. M.), 197
Paulsen, H., Robertson, J. M. & Wintermeyer, W., Topological arrangement of two transfer RNAs on the ribosome. Fluorescence energy transfer measurements between A and P site-bound $tRNA^{Phe}$, 411
pBR322 plasmid, n′ protein activator sites are not essential for its DNA replication, 751
Perlman, D. & Halvorson, H. O., A putative signal peptidase recognition site and sequence in eukaryotic and prokaryotic signal peptides, 391
Pettersson, U. (see also Monstein, H.-J.), 245
– (see also Yeh-Kai, L.), 217
Philipson, L. (see also Monstein, H.-J.), 245
Pizarro, A. (see also Ross, J.), 607
Plasmid DNA, bacterial, genetic recombination, Physical and genetic analysis of the products of plasmid recombination in *Escherichia coli*, 539
– pBR322, n′ protein activator sites are not essential for its DNA replication, 751
Plumbridge, J. A. & Springer, M., Organization of the *Escherichia coli* chromosome around the genes for translation initiation factor IF2 (*infB*) and a transcription termination factor (*nusA*), 227
Pollard, T. D. (see also Smith, P. R.), 641
Poly(A) RNAs, cloned, from sea urchin eggs, interspersed sequence organization and developmental representation, 361
Polyglycine crystals in the β form, 223
Polymorphism in clathrin light chains from different tissues, 197
Pörschke, D. (see also Labuda, D.), 205
Posakony, J. W., Flytzanis, C. N., Britten, R. J. & Davidson, E. H., Interspersed sequence organization and developmental representation of cloned poly(A) RNAs from sea urchin eggs, 361
Positively supercoiled DNA production by netropsin, 211
Protein, cell wall, of *Sulfolobus acidocaldarius*, three-dimensional arrangement, 823

—, gene *B*, and bacteriophage P2 DNA replication, 311
— and nucleotide structure, three-dimensional, comparison of the FAD-binding domain of *p*-hydroxybenzoate hydroxylase with the FAD- as well as NADPH-binding domains of glutathione reductase, 725
——DNA complex, circular, is formed by infecting bacteriophage Mu DNA, 427
Proteins, globular, amino and carboxy-terminal regions, 443
—, multidomain, rod-like, a general approach to their mapping; fodrin mapping with monoclonal antibodies, 275
Pseudogene, human dihydrofolate reductase, and its relationship to the multiple forms of specific mRNA, 23
Puiggalí, J. (see also Muñoz-Guerra, S.), 223
Puigjaner, L. C. (see also Fita, L.), 157
Pulford, W. C. A. (see also Blake, C. C. F.), 693

Rabbit cardiac tropomyosin, didansylcystine-labeled, two conformational states, 481
RecA protease level controls the SOS regulatory system, 791
· protein interaction with single-strand binding protein at the single-stranded DNA site, 901
Recessive (*dnaQ49*) and dominant (*mutD5*) mutators of *Escherichia coli*, 757
Recognition site and sequence, signal peptidase, in eukaryotic and prokaryotic signal peptides, 391
Recombination, genetic, of bacterial plasmid DNA. Physical and genetic analysis of the product of plasmid recombination in *Escherichia coli*, 539
Replication, DNA, does not require n′ protein activator sites of plasmid pBR322, 751
—, —, P2; characterization of the requirement of the gene *B* protein *in vivo*, 311
Resnick, J. (see also Cohen, S. P.), 901
Reudelhuber, T. L. (see also Davis, A. H.), 133
Rhe structure at 1·6 Å resolution, 661
RNA genes, ribosomal, mouse, variegated chromatin structures, 133
— splicing mechanism, and the close relationship between certain nuclear and mitochondrial introns, 595
—, SV40-specific, synthesis and processing in adenovirus-infected SV40-transformed human cells, 335
—, U1, human, loci; structural and evolutionary implications, 245
RNAs, poly(A), cloned, from sea urchin eggs, interspersed sequence organization and developmental representation, 361
Ribosomal RNA genes, mouse, variegated chromatin structures, 133
— topological arrangement of two transfer RNAs. Fluorescence energy transfer measurements between A and P site-bound $tRNA^{Phe}$, 411
Ribosomes, 30 S of *Escherichia coli*, binding of yeast $tRNA^{Phe}$ anticodon arm, 103
Riedl, H. (see also Nemetschek, Th.), 461
Rijsewijk, F. A. M. (see also Liu, A. Y. C.), 57
Robertson, J. M. (see also Paulsen, H.), 411
Rodriguez, A. (see also Muñoz-Guerra, S.), 223
Ross, J. & Pizarro, A., Human beta and delta globin messenger RNAs turn over at different rates, 607
Rose, S. J., III., Lowary, P. T. & Uhlenbeck, O. C., Binding of yeast $tRNA^{Phe}$ anticodon arm to *Escherichia coli* 30 S ribosomes, 103
Rossmann, M. G. (see also Fukuyama, K.), 873

Satellite DNA, characterization in *Trypanosoma brucei* and *T. cruzi*, 1
Sax, M. (see also Furey, W. Jr.), 661
Scazzocchio, C. (see also Waring, R. B.), 595
Schilling, V. (see also Nemetschek, Th.), 461
Schulz, G. E. (see also Wierenga, R. K.), 725
SOS regulatory system: control of its state by the level of RecA protease, 791
Sea urchin eggs, interspersed sequence organization and developmental representation of cloned poly(A) RNAs, 361
Sekiguchi, M. (see also Maruyama, M.), 757
Sequence, nucleotide, surrounding the cap site for adenovirus type 5 region E1A mRNAs; functional analysis, 809
· organization and developmental representation of cloned poly(A) RNAs from sea urchin eggs, 361
Sequences, actin-related, in the mouse genome, number and organization, 77
Shenk, T. (see also Hearing, P.), 809

Sibanda, B. L. (see also Thornton, J. M.), 443
Signal peptidase recognition site and sequence in eukaryotic and prokaryotic signal peptides, 391
Simian virus 40 (see also Virus), 335
Single-strand binding protein interaction with RecA protein at the single-stranded DNA site, 901
Sloof, P., Bos, J. L., Konings, Ad. F. J. M., Menke, H. H., Borst, P., Gutteridge, W. E. & Leon, W., Characterization of satellite DNA in *Trypanosoma brucei* and *Trypanosoma cruzi*, 1
Smith, P. R., Fowler, W. E., Pollard, T. D. & Aebi, U., Structure of the actin molecule determined from electron micrographs of crystalline actin sheets with a tentative alignment of the molecule in the actin filament, 641
Snounou, G. & Malcolm, A. D. B., Production of positively supercoiled DNA by netropsin, 211
Sodergren, E. & Kaiser, D., Insertions of Tn*5* near genes that govern stimulatable cell motility in *Myxococcus*, 295
Splicing mechanism for RNA, and the close relationship between certain nuclear and mitochondrial introns, 595
Springer, M. (see also Plumbridge, J. A.), 227
Structural and evolutionary implications of loci for human U1 RNA, 245
— organization of soluble chromatin, and the involvement of the domains of histones H1 and H5, 619
— studies of adenovirus type 2 by neutron and X-ray scattering, 119
— transformation of collagen. A time-resolved analysis of mechanochemical processes using synchrotron radiation, 461
Structure, nucleoprotamine, relation to DNA complexes with arginine peptides; X-ray diffraction study, 157
— of the actin molecule determined from electron micrographs of crystalline actin sheets with a tentative alignment of the molecule in the actin filament, 641
— — a novel Bence-Jones protein (Rhe) fragment at 1·6 Å resolution, 661
— — a $T = 1$ aggregate of alfalfa mosaic virus coat protein seen at 4·5 Å resolution, 873
— — mutant alleles at the *aprt* locus of Chinese hamster ovary cells, 575
— — myosin/paramyosin filaments from a molluscan smooth muscle, 853
— — tubulin rings studied by X-ray scattering using synchrotron radiation, 179
—, protein and nucleotide, three-dimensional comparison of the FAD-binding domain of *p*-hydroxybenzoate hydroxylase with the FAD- as well as NADPH-binding domains of glutathione reductase, 725
Structures, chromatin, variegated, of mouse ribosomal RNA genes, 133
Subirana, J. A. (see also Fita, L.), 157
— (see also Muñoz-Guerra, S.), 223
Sulfolobus acidocaldarius, three-dimensional arrangement of the cell wall protein, 823
Supercoiled DNA production by netropsin, 211
Sussman, R. (see also Cohen, S. P.), 901
Suzuki, E. (see also Fraser, R. D. B.), 497
Synchrotron radiation, use in a time-resolved analysis of mechanochemical transformation of the structure of collagen, 461
— —, X-ray scattering study of the structure of tubulin rings, 179
Synthesis and processing of SV40-specific RNA in adenovirus-infected, SV40-transformed human cells, 335

$T = 1$ aggregate of alfalfa mosaic virus coat protein, structure seen at 4·5 Å resolution, 873
Takahashi, M., Blazy, B., Baudras, A. & Hillen, W., On the origin of selectivity in recognition by cyclic adenosine 3′,5′-monophosphate receptor protein of its specific binding site of the lactose promoter region, 895
Talbot, K. (see also Macleod, A. R.), 523
Taylor, K. A. (see also Deatherage, J.F.), 823
Teerstra, R. (see also van der Ende, A.), 751
Terminal regions in globular proteins, 443
Three-dimensional tilted-view reconstructions, a least-squares method for determining structure factors, 849
Thoma, F., Losa, R. & Koller, T., Involvement of the domains of histones H1 and H5 in the structural organization of soluble chromatin, 619
Thornton, J. M. & Sibanda, B. L., Amino and carboxy-terminal regions in globular proteins, 443
Time-resolved analysis of mechanochemical processes using synchrotron radiation; transformation of the structure of collagen, 461
Timmins, P. A. (see also Devaux, C.), 119

Tn*5* insertions near genes that govern stimulatable cell motility in *Myxococcus*, 295
Topological arrangement of two transfer RNAs on the ribosome. Fluorescence energy transfer measurements between A and P site-bound $tRNA^{Phe}$, 411
Transcription initiation *in vitro*, effect of DRB, 561
— — sites for two late mRNAs; bacteriophage P2 late promoters, 773
— termination factor (*nusA*) and translation initiation factor IF2 (*infB*) genes, and the organization of the *Escherichia coli* chromosome, 227
Transfer RNA association, codon-induced; a property of transfer RNA involved in its adaptor function?, 205
— RNAs, two topological arrangement on the ribosome. Fluorescence energy transfer measurements between A and P site-bound $tRNA^{Phe}$, 411
$tRNA^{Phe}$, yeast, binding of anticodon arm to *Escherichia coli* 30 S ribosomes, 103
Transformation of the structure of collagen. A time-resolved analysis of mechanochemical processes using synchrotron radiation, 461
Translation initiation factor IF2 (*infB*) and transcription termination factor (*nusA*) genes, and the organization of the *Escherichia coli* chromosome, 227
Transposition unit of variant surface glycoprotein gene 118 of *Trypanosoma brucei*; presence of repeated elements at its border and absence of promoter-associated sequences, 57
Tremblay, M. (see also Yeh-Kai, L.), 217
Tropomyosin, cardiac, rabbit, didansylcystine-labeled; two conformational states, 481
—, non-muscle, human, encoded by a gene family defined by a processed gene, 523
Trypanosoma brucei, the transposition unit of variant surface glycoprotein gene 118; presence of repeated elements at its border and absence of promoter-associated sequences, 57
— — and *T. cruzi*, characterization of satellite DNA, 1
Tubulin ring structure studied by X-ray scattering using synchrotron radiation, 179

U1 RNA loci, human; structural and evolutionary implications, 245
Uhlenbeck, O. C. (see also Rose, S. J., III), 103

van der Ende, A., Teertstra, R. & Weisbeek, P. J., n′ protein activator sites of plasmid pBR322 are not essential for its DNA replication, 751
van der Ploeg, L. H. T. (see also Liu, A. Y. C.), 57
Variant surface glycoprotein gene 118 of *Trypanosoma brucei*, the transposition unit; presence of repeated elements at its border and absence of promoter-associated sequences, 57
Vibert, P. (see also Castellani, L.), 853
Virus, alfalfa mosaic, coat protein, structure of a $T = 1$ aggregate seen at 4·5 Å resolution, 873
—, — —, sites of heavy atom substitution in crystals, 891
—, simian virus 40: synthesis and processing of SV40-specific RNA in adenovirus-infected SV40-transformed human cells, 335
Vogt, P. & Hennig, W., Y chromosomal DNA of *Drosophila hydei*, 37

Walter, J. & Huber, R., Pancreatic trypsin inhibitor. A new crystal form and its analysis, 911
Wang, B. C. (see also Furey, W. Jr), 661
Waring, R. B., Scazzocchio, C., Brown, T. A. & Davies, R. W., Close relationship between certain nuclear and mitochondrial introns. Implications for the mechanism of RNA splicing, 595
Water in crystals of lysozyme, X-ray studies, 693
Weber, J. (see also Yeh-Kai, L.), 217
Weber, K. (see also Glenney, J. R. Jr), 275
Weinmann, R. (see also Zandomeni, R.), 561
Weisbeek, P. J. (see also van der Ende, A.), 751
Westin, G. (see also Monstein, H.-J.), 245
Wierenga, R. K., Drenth, J. & Schulz, G. E., Comparison of the three-dimensional protein and nucleotide structure of the FAD-binding domain of *p*-hydroxybenzoate hydroxylase with the FAD- as well as NADPH-binding domains of glutathione reductase, 725
Wintermayer, W. (see also Paulsen, H.), 411

X-ray and neutron scattering studies of adenovirus type 2 structure, 119
— diffraction study of DNA complexes with arginine peptides and their relationship to nucleoprotamine structure, 157
— studies of water in crystals of lysozyme, 693

chromosomal DNA of *Drosophila hydei*, 37
ANG, J. K. (see also MASTERS, J. N.), 23
east tRNA^{Phe} anticodon arm binding to *Escherichia coli* 30 S ribosomes, 103
EH-KAI, L., AKUSJÄRVI, G., ALESTRÖM, P., PETTERSSON, U., TREMBLAY, M. & WEBER, J., Genetic identification of an endoproteinase encoded by the adenovirus genome, 217
OO, C. S. (see also FUREY, W. JR), 661

ABIELSKI, J. (see also MONSTEIN, H.-J.), 245
ANDOMENI, R., BUNICK, D., ACKERMAN, S., MITTELMAN, B. & WEINMANN, R., Mechanism of action of DRB. III. Effect on specific *in vitro* initiation of transcription, 561